

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown Atty Docket: NDTCO.029A


Figure 1 Transfection Efficiency of 293 Cells



*CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION*

Tanaka et al.


Appl. No.: Unknown Atty Docket: NDTCO.029A



CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown Atty Docket: NDTCO.029A




CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown

Atty Docket: NDTCO.029A


Figure 4 Inhibition of Luciferase Activity by siRNA Delivery



CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown Atty Docket: NDTCO.029A



CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown

Atty Docket: NDTCO.029A




Figure 7 Epifluorescent micrographs of transfected cells

